U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE FORM PTO-1449 ATTY. DOCKET NO. APPLICATION NO. NIH142.1CDV1 Unknown 729,027 INFORMATION DISCLOSURE STATEMENT BY APPLICANT APPLICANT Gu, et al. (USE SEVERAL SHEETS IF NECESSARY) FILING DATE **GROUP** 12/05/2003 Herewith Unknown 1645

U.S. PATENT DOCUMENTS								
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)	
K55	1.	5,013,661	05/07/91	Munford, et al		/	/	
1	2.	5,334,379	08/02/94	Pillai, et al.				
	3.	5,556,755	09/17/96	Murphy				
	4.	5,607,846	03/04/97	Murphy, et al.				
	5.	5,712,118	1/98	Murphy, T.F.	7			
	6.	5,725,862	3/98	Murphy, T.F.				
1455	7.	6,207,157	3/01	Gu, et al.	/		<i>†</i>	

FOREIGN PATENT DOCUMENTS								
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANS	LATION
							YES	NO
1458	8.	98/53851	12/03/98	wo .				

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING ACTION, TITLE, DATE, FERTINENT FAGES, ETC.)						
1655	9. Ahmed, K., et al. (1991) Possible presence of a capsule in Branhamella catarrhalis. Microbiol. Immunol. 35: 361-366						
1	10.	0. Alaeus, A., et al. (1991) Branhamella catarrhalis septicemia in an immunocompetent adult. Scand. J. Infect. Dis 23: 115-116					
	11. Barenkamp, S.J. (1996) Immunization with high-molecular-weight adhesion proteins of nontypeable <i>Haemophilus influenzae</i> modifies experimental media in chinchillas, Infect. Immun. 64: 1248-1251						
	12. Bhushan, R., et al. (1994) Molecular cloning and characterization of outer membrane protein E of Moraxella (Branhamella) catarrhalis. J. Bacteriol. 176:6636-6643						
	13. Blueston, C.D. (1986) Otitis media and sinusitis in children. Role of Branhamella catarrhalis. <u>Drugs 31 (Suppl. 3)</u> : 132-141						
	14. Boyle, F.M., et al., (1991) Branhamella (Moraxella) catarrhalis: pathogenic significance in respiratory infections. Med. J. Aust. 154:592-596						
	15.	5. Campagnari et al. (1990) Lipooligosaccharide epitopes shared among Gram- negative non-enteric mucosal pathogens. Microbial Pathogenesis 8:353					
	16.	 Campagnari, A.A., et al., (1994) Growth of Moraxella catarrhalis with human transferrin and lactoferrin: expression of iron-repressible proteins without siderophore production. Infect, Immun. 62:4909-4914 					
	17.	Catlin, B.W. (1990) Branhamella catarrhalis: an organism gaining respect as a pathogen. Clin, Microbiol. Rev. 3:293-320					
	18.	Chapman, A.J., Jr., et al. (1985) Development of bactericidal antibody during Branhamella catarrhalis infection. <u>J. Infect. Dis.</u> 151:878-882					
	19. Chen, D. et al. (1996) Evaluation of Purified UspA from Moraxella Catarrhalis as a Vaccine in a Murine Model after Active Immunization Infection Immunity, 64(6): 1900-1905						
	20.	Christensen, J.J., et al., (1996) Serum antibody response to outer membrane proteins of <i>Moraxella (Branhamella) catarrhalis</i> in patients with bronchopulmonary infection. Clin. diagn. Lab. Immunol. 3:717-721					
1645	21.	Cohen, D., et al. (1997) Double-blind vaccine-controlled randomised efficacy trial of an investigational Shigella sonnei conjugate vaccine in young adults. <u>Lancet</u> 340:155-159					

EXAMINER	kur	DATE CONSIDERED	31 \ \ \	2 (84	
*FXAMINER: INITIAL IE	CITATION CONSIDERED WHETHER OR NOT CITATION IS	S IN CONFORMANCE WITH M	DED 600-	DRAW LINE THROUGH CITATI	ONLENOT

*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. NIH142.1CDV1	APPLICATION Unknown	NO.
INFORMATION	DISCLOSURE STATEMENT		10/	729,027
В	BY APPLICANT			
(USE SEVERAL	SHEETS IF NECESSARY)	FILING DATE Herewith /2/05/24	GROUP Unknown	1645

EXAMINI INITIAL			OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)						
إدع	,	22.	Doern, G.V. (1986) Branhamella catarrhalis - an emerging human pathogen. Diagn, Microbiol, Infect. Dis. 4: 191-201						
$\neg \tau$		23.	Doyle, W.J. (1989) Animal models of otitis media: other pathogens. Pediatr. Infect. Dis J. 8:Suppl. 45-47						
		24.	Edebrink, P., et al. (1994) Structural studies of the O-polysaccharide from the lipopolysaccharide of Moraxella (Branhamella) catarrhalis serotype A (strain ATCC 25238). Carbohydr. Res. 257:269-284						
		25.	Edebrink, P., et al. (1995) Structural studies of the O-antigen oligosaccharides from two strains of Moraxella catarrhalis serotype C. Carbohydr. Res. 266:237-261						
		26.	Edebrink, P., et al. (1996) The structures of oligosaccharides isolated from the lipopolysaccharide of Moraxella catambalis serotype B, strain CCUG 3292. Carbohydr, Res. 295: 127-146						
		27.	Ejlertsen, T., et al. (1994) Branhamella catarrhalis in children and adults. A study of prevalence, time of colonisation, and association with upper and lower respiratory tract infections. J. Infect. 29:23-31						
		28.	Eliasson, I. (1986) Serological identification of Branhamella catarrhalis. Serological evidence for infection. <u>Drugs 31</u> (Suppl. 3):7-10						
		29.	Enright, M.C., et al. (1997) Moraxella (Branhamella) catarrhalis-clinical and molecular aspects of a rediscovered pathogen. J. Med. Micro-biol. 46:360-3						
		30.	Erwin, et al. (1991) Enzymatically Deacylated Neisseria Lipopolysaccharide (LPS) Inhibits Murine Splenocyte Mitogenesis Induced by LPS, Infection and Immunity 59(6): 1881-1887						
		31.	Faden, H., et al. (1994) Epidemiology of Moraxella catarrhalis in children during the first 2 years of life: relationship to otitis media. J. Infect. Dis. 169:1312-1317						
		32.	Fomsgaard, J. S., et al. (1991) Comparative immunochemistry of lipopolysaccharides from Branhamella catarrhalis strains. Infect. Immun. 59:3346-3349						
		33.	Fung, C.P., et al. (1992) The antimicrobial susceptibility of <i>Moraxella catarrhalis</i> isolated in England and Scotland in 1991. <u>J. Antimicrob</u> . Chemother. 30:47-55						
	34. Goldblatt, D., et al. (1990) Branhamella catarrhalis: antigenic determinants and the development of the IgG subclass response in childh 162:1128-1135								
		35.	 Green, B.A., et al. (1994) Nontype Haemophilus influenzae Lipo-oligosaccharide Conjugates as Vaccine Candidates against NTHi, p. 125-129. In Norrby. F. Brown, R.M. Chanock, and H.S. Ginsberg (ed), Vaccines 94. Cold Spring Harbor Laboratory Press, Plainview, N.Y. 						
		36.	Gu, XX., et al. (1993) Preparation, Characterization and Immunogenicity of Meningococcal Lipooloigosaccharide-Derived Oligosaccaharide-Protein Conjugates Infect. Immun. 61(5)1873-1880						
		37.	Gu, XX., et al. (1995) Quantitation and Biological Properties of Released and Cell-Bound Lipoologosaccharide from Nontypeable Haemophilus influenzae Infect. Immun. 63(10): 4115-4120						
		38.	Gu, XX., et al. (1996) Synthesis, characterization, and immunological properties of detoxified lipooligosaccharide from nontypeable Haemophilus influenzae conjugated to proteins. Infect. Immun. 64:4047-4053.						
	:	39.	Gu, X-X., et al. (1997) Detoxified lipooligosaccharide from nontypeable <i>Haemophilus influenzae</i> conjugated to proteins confers protection against otitis media in chinchillas. <u>Infect. Immun</u> . 65:4488-4493						
	·	40.	Gu, X-X., et al. (1998) Synthesis and Characterization of Lipooligosaccharide-Based Conjugates as Vaccine Candidates for Moraxella (Branhamella) catarrhalis. Infect. Immun. 66:1891-1897						
	ŀ	41.	Gupta, et al. (1992) Synthesis, Characterization, and Some Immunological Properties of Conjugates Composed of the detoxified Lipopolysaccharide of Vibrio cholerae O1 Serotype Inaba Bound to Cholera Toxin. Infection and Immunity 60(8):3201-3208						
	-		Gupta, et al. (1995) Comparative Immunogenicity of Conjugates Composed of Escherichia coli O111 O-Specific Polysaccharide, Prepared by Treatment with Acetic Acid or Hydrazine, Bound to Tetanus Toxoid by Two Synthetic Schemes. <u>Infection and Immunity</u> 63(8):2805-2810						
		43.	Helminen, M.E., et al. (1993) A major outer membrane protein of <i>Moraxella catarrhalis</i> is a target for antibodies that enhance pulmonary clearance of the pathogen in an animal mode. <u>Infect. Immun.</u> 61:2003-2010						
		44.	Helminen, M.E., et al. (1994) A large, antigenically conserved protein on the surface of Moraxella catarrhalis is a target for protective antibodies. <u>J. Infect.</u> Dis. 170:867-872						
		45.	Hochstein, H.D., et al. (1973) Further developments of Limulus amebocyte lysate test. Bull. Paraenter. <u>Drug Assoc</u> . 27:139-148						
	ľ	46.	Hu, WG., et al. (2000) Enhancement of Clearance of Bacteria from Murine Lungs by Immunization with Detoxified Lipooligosaccharide from Moraxella catarrhalis Conjugated to Proteins. Infect. Immun. 68:4980-4985						
jesi	1	47.	Jennings, H.J., et al. (1984) Conjugation of meningococcal Lipopolysaccharide R-type oligosaccharides to tetanus toxoid as route to a potential vaccine against group B Neisseria meningilidis. Infect, Immun. 43:407-412						

EXAMINER	embel	sh	DATE CONSIDERED	11/12/04
			ITATION IS IN CONFORMANCE WIT	I'H MPEP 609; DRAW LINE THROUGH CITATION IF NOT

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. NIH142.1CDV1

APPLICATION NO. Unknown

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

APPLICANT Gu, et al.

Herewith

FILING DATE

12/05/2003

GROUP Unknown

1645

729,027

EXAMINER INITIAL		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)			
<u> </u> c_55	48.	Kelly, J., et al. (1996) Separation and Characterization of O-Deacylated Lipooligosaccharides and Glycans Derived from Moraxella catarrhalis Using Capillary Electrophoresis-electrospray Mass Spectrometry and Tandem Mass Spectrometry. Analy. Biochem. 233:15-30			
	49.	Kemp, H.A., et al. (1986) Studies on the deterimental effects of bivalent binding in a microtiter plate ELISA and possible remedies. <u>J. Immunol. Methods</u> 94:65-72			
	50.	Konadu, et al. (1994) Preparation, Characterization, and Immunological Properties in Mice of Escherichia coli O157 O-Specific Polysaccharide-Protein Conjugate Vaccines. Infection and Immunology 62(11):5048-5054			
	51.	Konadu, et al. (1996) Synthesis, Characterization, and Immunological Properties in Mice of Conjugates Composed of Detoxified Lipopolysaccharide of Salmonella paratyphi A Bound to Tetanus Toxiod, with Emphasis on the Role of O Acetyls. Infection and Immunity 64(7):2709-2715			
	52.	Marrs, C.F., et al. (1990) Pili (fimbriae) of Branhamella species. <u>Am. J.Med. 88(Suppl. 5A)</u> :36S-40S			
	53.	Masoud, H., et al. (1994) Characterization of the lipopolysaccharide of Moraxella calarrhalis. Structural analysis of the lipid A from M. catarrhalis serotype lipopolysaccharide. Eur. J. Biochem. 220:209-216			
	54.	Masoud, H., et al. (1994) Structural elucidation of the backbone oligosaccharide for the lipopolysaccharide of Moraxella catarrhalis serotype A. Can. J. Chem. 72:1466-1477			
	55. McLeod, D.T., et al., (1986) Increase in bronchopulmonary infection due to Branhamella catarrhalis. Br. Med. J. 292:1103-1105				
	56.	Murphy, T.F. (1996) Branhamella catarrhalis: epidemiology, surface antigenic structure, and immune response. Microbiol. Rev. 60:267-279			
	57.	Murphy, T.F., et al. (1993) The major heat-modifiable outer membrane protein CD is highly conserved among strains of Branhamella catarrhalis. Mol. Microbiol. 10:87-97			
	58.	Nicotra, B., et al. (1986) Branhamella catarrhalis as a lower respiratory tract pathogen in patients with chronic lung disease. Arch. Intern. Med. 146:890-89			
	5 9.	Polotsky, et al. (1994) Comparison of Conjugates Composed of Lipopolysaccharide from Shigella flexneri Type 2a Detoxified by Two Methods and Bound Tetanus Toxoid. Infection and Immunity 62(1):210-214			
	60.	Rahman, M., et al. (1995) Lack of serotype-specific antibody response to lipopolysaccharide antigens of Moraxella catarrhalis during lower respiratory tracinfection. <u>Eur, J. Clin. Microbiol. Infect. Dis.</u> 14:297-304			
	61.	Rahman, M., et al. (1997) Human immunoglobulin isotype and IgG subclass response to different antigens of Moraxella catarrhalis. APMIS 105:213-220			
	62.	Robbins, J.B., et al. (1990) Polysaccharide-protein conjugates: a new generation of vaccines. <u>J.Infect, Dis</u> . 161:821-832			
	63.	Robbins, J.B., et al. (1995) Perspective: hypothesis: serum IgG antibody is sufficient to confer protection against infectious diseases by inactivating the inoculum. J.Infect. Dis. 171:1387-1398			
	64.	Sarubbi, F.A., et al. (1990) Respiratory infections caused by Branhamella catarrhalis. Selected epidemiologic features. Am. J. Med. 88 Suppl 5A:9S-14S			
	65.	Smith, P.K., et al. (1985) Measurement of protein using bicinchoninic acid. Anal. Biochem. 150:76-85			
	66.	Svenson, S.B., et al. (1981) Artificial Samonella vaccines: Salmonella typhimurium O-antigen-specific oligosaccharide-protein conjugates elicit protective antibodies in rabbits and mice. Infect.Immun. 32:490-496.			
	67.	Tsai, C.M., et al. (1982) A sensitive silver stain for detecting lipopolysaccharides, in polyacrylamide gels. Anal Biochem. 119:155-119			
	68.	Vaneechoutee, M., et al. (1990) Respiratory tract carrier rates of Moraxella (Branhamella) catarrhalis in adults and children and interpretation of the isolati of M. catarrhalis from sputum. J. Clin. Microbiol. 28:2674-2880			
	6 9.	Vaneechoutee, M., et al. (1990) Serological Typing of Branhamella catanhalis strains on the basis of lipopolysaccharide antigens. <u>J. Clin, Microbiol.</u> 28:18			
	70.	Verheul, A.F.M., et al. (1991) Preparation, characterization, and immunogenicity of meningococcal immunotype L2 and L3,7,9, phosphoethanolamide group-containing oligosaccharide-protein conjugates. Infect.Immun. 59:843-851			
	71.	W.H.O. Expert Committee on Biological Standardization (1991) Requirements for <i>Haemophilus</i> type b conjugate vaccines. WHO Tech. Rep. Ser. 814:15-37			
	72.	Wagner, D.K., et al. (1987) Analysis of immunoglobulin G antibody responses after administration of live and inactively influenza A vaccine indicates that nasal wash immunoglobulin G is a transudate from serum. J. Clin, Microbiol. 25:559-562			
	73.	Yang, Y.P., et al. (1997) The major outer membrane protein, CD, extracted from Moraxella (Branhamella) catarrhalis is a potential vaccine antigen that induces bactericidal antibodies. FEMS Immunol. Med. Microbiol. 17:187-199			
1451	74.	Zollinger, W.D., et al. (1983) Importance of complement source in bactericidal activity of human and murine monoclonal antibody to meningococcal group polysaccharide. Infect. Immun. 40:257-264			

EXAMINER	land	DATE CONSIDERED	14/2/34
	TIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION I		

		·				SHEET 4 OF 4
	FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY, DOCKET N NIH142.1CDV1	0.	APPLICATION NO Unknown	0.
	INFORMATION	DISCLOSURE STATEMENT			10/	729,027
	BY APPLICANT (USE SEVERAL SHEETS IF NECESSARY)		APPLICANT Gu, et al.			
			FILING DATE Herewith	12/05/2003	GROUP Unknown	1645

O:\DOC\$\NWV\NWV-9308.DOC 112503

EXAMINER KULL DATE CONSIDERED 11/12/14

*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.